

# Sterile Labels

To Help Prevent Medication Errors



## **COMPLY** with 2006 JCAHO requirements

Use Centurion Labels to clearly identify medication in perioperative sterile fields.

## **STREAMLINE** practices in your facility

Use Centurion Labels to establish a facility-wide labeling protocol. Procedure-ready labels help save time.

## **REDUCE** medical waste

Use Centurion Labels for clear identification and to prevent unlabeled medications from becoming medical waste.

## **CUSTOMIZE** for your procedures

Labels customized at **NO EXTRA COST**.

## New 2006 **JCAHO** Patient Safety Goals

### **GOAL:**

Improve the safety of using medications.

### **REQUIREMENT:**

Label all medications, medication containers (e.g., syringes, medicine cups, basins), or other solutions on and off the sterile field in perioperative and other procedural settings.

### **IMPLEMENTATION EXPECTATIONS:**

**Medications and solutions both on and off the sterile field should be labeled** even if there is only one medication being used.

Labeling occurs when any medication or solution is transferred from the original packaging to another container.

**Labels include drug name, strength, amount, expiration date when not used within 24 hours, and expiration time when expiration occurs in less than 24 hours.**

# CENTURION

L A B E L S Y S T E M S

301 CATRELL DRIVE | P.O. BOX 170 | HOWELL | MICHIGAN | 48843  
phone 517.546.5400 | 800.248.4058 | fax 517.546.9388 | [www.centurionmp.com](http://www.centurionmp.com)

# Sterile Labels

\*labels shown  
50% reduced

1 panel : 10 labels

<b>Lidocaine 1%</b>
AMT: _____ EXP. TIME: _____
<b>Lidocaine 1% Epidural</b>
AMT: _____ EXP. TIME: _____
<b>Depo-Medrol 40 mg/mL</b>
AMT: _____ EXP. TIME: _____
<b>Sensorcaine 0.5%</b>
AMT: _____ EXP. TIME: _____
<b>Contrast</b>
Strength: _____
AMT: _____ EXP. TIME: _____
<b>Saline 0.9%</b>
AMT: _____ EXP. TIME: _____
<b>Betadine Solution</b>
Strength: _____
AMT: _____ EXP. TIME: _____
<b>Hexabrix 320 mg/mL</b>
AMT: _____ EXP. TIME: _____
Med/Sol'n _____
Strength: _____
AMT: _____ EXP. TIME: _____
Med/Sol'n _____
Strength: _____
AMT: _____ EXP. TIME: _____

4 panels : 40 labels\*

<b>Lidocaine 1%</b>	<b>Polocaine 2%</b>	<b>Lidocaine 2%</b>	<b>Optray 320</b>
AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____
<b>Lidocaine 1% Epidural</b>	<b>Polocaine 2%</b>	<b>Lidocaine 2%</b>	<b>Optray 320</b>
AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____
<b>Depo-Medrol 40 mg/mL</b>	<b>Marcaine 0.5%</b>	<b>Lidocaine 2%</b>	<b>Optray 320</b>
AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____
<b>Sensorcaine 0.5%</b>	<b>Marcaine 0.5%</b>	<b>Discard</b>	<b>Visipaque 320</b>
AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____	Strength: _____	AMT: _____ EXP. TIME: _____
<b>Contrast</b>	<b>Saline Irrigation</b>	<b>Heparin Flush 2 units/mL in NS 1,000 mL</b>	<b>Visipaque 320</b>
Strength: _____	Strength: _____	AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____
AMT: _____ EXP. TIME: _____	<b>Betadine Solution</b>	<b>Heparin Flush 2 units/mL in NS 1,000 mL</b>	<b>Contrast MD76</b>
<b>Saline 0.9%</b>	Strength: _____	AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____
AMT: _____ EXP. TIME: _____	<b>Betadine Scrub</b>	<b>Heparin Flush 2 units/mL in NS 1,000 mL</b>	<b>Contrast MD76</b>
<b>Betadine Solution</b>	Strength: _____	AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____
Strength: _____	<b>Mineral Oil</b>	<b>Heparin Flush 2 units/mL in NS 1,000 mL</b>	Med/Sol'n _____
AMT: _____ EXP. TIME: _____	Strength: _____	AMT: _____ EXP. TIME: _____	Strength: _____
<b>Hexabrix 320 mg/mL</b>	<b>Lidocaine Viscous</b>	<b>Heparin Flush 2 units/mL in NS 1,000 mL</b>	AMT: _____ EXP. TIME: _____
AMT: _____ EXP. TIME: _____	Strength: _____	AMT: _____ EXP. TIME: _____	Med/Sol'n _____
Med/Sol'n _____	<b>Lactated Ringers</b>	<b>Heparin Flush 2 units/mL in NS 1,000 mL</b>	Strength: _____
Strength: _____	Strength: _____	AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____
AMT: _____ EXP. TIME: _____		Med/Sol'n _____	Strength: _____
		Strength: _____	

8 panels : 80 labels\*

<b>Lidocaine 1%</b>	<b>Polocaine 2%</b>	<b>Lidocaine 2%</b>	<b>Optray 320</b>
AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____
<b>Lidocaine 1% Epidural</b>	<b>Polocaine 2%</b>	<b>Lidocaine 2%</b>	<b>Optray 320</b>
AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____
<b>Depo-Medrol 40 mg/mL</b>	<b>Marcaine 0.5%</b>	<b>Lidocaine 2%</b>	<b>Optray 320</b>
AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____
<b>Sensorcaine 0.5%</b>	<b>Marcaine 0.5%</b>	<b>Discard</b>	<b>Visipaque 320</b>
AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____	Strength: _____	AMT: _____ EXP. TIME: _____
<b>Contrast</b>	<b>Saline Irrigation</b>	<b>Heparin Flush 2 units/mL in NS 1,000 mL</b>	<b>Visipaque 320</b>
Strength: _____	Strength: _____	AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____
AMT: _____ EXP. TIME: _____	<b>Betadine Solution</b>	<b>Heparin Flush 2 units/mL in NS 1,000 mL</b>	<b>Contrast MD76</b>
<b>Saline 0.9%</b>	Strength: _____	AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____
AMT: _____ EXP. TIME: _____	<b>Betadine Scrub</b>	<b>Heparin Flush 2 units/mL in NS 1,000 mL</b>	<b>Contrast MD76</b>
<b>Betadine Solution</b>	Strength: _____	AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____
Strength: _____	<b>Mineral Oil</b>	<b>Heparin Flush 2 units/mL in NS 1,000 mL</b>	Med/Sol'n _____
AMT: _____ EXP. TIME: _____	Strength: _____	AMT: _____ EXP. TIME: _____	Strength: _____
<b>Hexabrix 320 mg/mL</b>	<b>Lidocaine Viscous</b>	<b>Heparin Flush 2 units/mL in NS 1,000 mL</b>	AMT: _____ EXP. TIME: _____
AMT: _____ EXP. TIME: _____	Strength: _____	AMT: _____ EXP. TIME: _____	Med/Sol'n _____
Med/Sol'n _____	<b>Lactated Ringers</b>	<b>Heparin Flush 2 units/mL in NS 1,000 mL</b>	Strength: _____
Strength: _____	Strength: _____	AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____
AMT: _____ EXP. TIME: _____		Med/Sol'n _____	Strength: _____
		Strength: _____	

2 panels : 20 labels\*

<b>Lidocaine 1%</b>	<b>Polocaine 2%</b>
AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____
<b>Lidocaine 1% Epidural</b>	<b>Polocaine 2%</b>
AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____
<b>Depo-Medrol 40 mg/mL</b>	<b>Marcaine 0.5%</b>
AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____
<b>Sensorcaine 0.5%</b>	<b>Marcaine 0.5%</b>
AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____
<b>Contrast</b>	<b>Saline Irrigation</b>
Strength: _____	Strength: _____
AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____
<b>Saline 0.9%</b>	<b>Betadine Solution</b>
AMT: _____ EXP. TIME: _____	Strength: _____
<b>Betadine Solution</b>	<b>Betadine Scrub</b>
Strength: _____	Strength: _____
AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____
<b>Hexabrix 320 mg/mL</b>	<b>Mineral Oil</b>
AMT: _____ EXP. TIME: _____	Strength: _____
Med/Sol'n _____	<b>Lidocaine Viscous</b>
Strength: _____	Strength: _____
AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____
Med/Sol'n _____	<b>Lactated Ringers</b>
Strength: _____	Strength: _____
AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____

<b>Marcaine 0.25%</b>	<b>Lidocaine 1% w/EPI 1:100,000</b>	<b>Alcohol</b>	<b>D5W</b>
AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____	Strength: _____	Strength: _____
<b>Marcaine 0.25%</b>	<b>Lidocaine 1% w/EPI 1:100,000</b>	<b>Bacitracin 50,000 units</b>	<b>Indigo Carmine</b>
AMT: _____ EXP. TIME: _____	AMT: _____ EXP. TIME: _____	Strength: _____	Strength: _____
<b>Marcaine 0.25% w/EPI 1:200,000</b>	<b>Saline</b>	<b>Reno</b>	<b>Mineral Oil</b>
AMT: _____ EXP. TIME: _____	Strength: _____	Strength: _____	Strength: _____
<b>Marcaine 0.25% w/EPI 1:200,000</b>	<b>Saline</b>	<b>Reno</b>	<b>Afrin</b>
AMT: _____ EXP. TIME: _____	Strength: _____	Strength: _____	Strength: _____
<b>Marcaine 0.5%</b>	<b>Water</b>	<b>Methylene Blue</b>	<b>Betadine Solution</b>
AMT: _____ EXP. TIME: _____	Strength: _____	Strength: _____	Strength: _____
<b>Marcaine 0.5%</b>	<b>Water</b>	<b>Epinephrine 1:1,000</b>	<b>Betadine Scrub</b>
AMT: _____ EXP. TIME: _____	Strength: _____	Strength: _____	Strength: _____
<b>Marcaine 0.5% w/EPI 1:200,000</b>	<b>Heparin 1:1,000 units in 1 mL Saline</b>	<b>Morphine 1 mg/mL</b>	Med/Sol'n _____
AMT: _____ EXP. TIME: _____	Strength: _____	Strength: _____	Strength: _____
<b>Marcaine 0.5% w/EPI 1:200,000</b>	<b>Heparin 1:1,000 units in 1 mL Saline</b>	<b>Thrombin 1,000 units / 1 mL</b>	Med/Sol'n _____
AMT: _____ EXP. TIME: _____	Strength: _____	Strength: _____	Strength: _____
<b>Lidocaine 1%</b>	<b>Ancef</b>	<b>Thrombin 1,000 units / 1 mL</b>	Med/Sol'n _____
AMT: _____ EXP. TIME: _____	Strength: _____	Strength: _____	Strength: _____
<b>Lidocaine 1%</b>	<b>Ancef</b>	<b>Glycine</b>	Med/Sol'n _____
AMT: _____ EXP. TIME: _____	Strength: _____	Strength: _____	Strength: _____

# CENTURION

L A B E L S Y S T E M S

301 CATRELL DRIVE | P.O. BOX 170 | HOWELL | MICHIGAN | 48843  
phone 517.546.5400 | 800.248.4058 | fax 517.546.9388 | www.centurionmp.com